



INNOVATION NOT DUPLICATION

TRASERSCREEN DB-15

Type: vibrating screener



- ✓ only 175 kg
- ✓ easy mesh replacement
- ✓ running on 220V
- ✓ manual handling
- ✓ stable construction



Dimensions (trans.) in mm	
Length	1361
Width	1200
Height	1522
Weight (kg)	175

Screen-box	
Mesh length	1250
Mesh width	750
Mesh area (m ²)	0,94
Mesh count	1
Fraction count	2
Hopper width	1000
Offtake width	940

Screener drive	
Type	Electrically-operated
Power output	0,18 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Screening (indicative)
2-15 t/h

Transport method
container

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-25

Type: vibrating screener



- ✔ transport on category O1 trailer
- ✔ easy replacement of screens
- ✔ low weight
- ✔ low operating costs



Dimensions (trans.) in mm	
Length	2110
Width	1850 (1350)
Height	2430 (1050)
Weight (kg)	580

Screen-box	
Mesh length	1800
Mesh width	900
Mesh area (m²)	1,62
Mesh count	1
Fraction count	2
Hopper width	1800
Offtake width	1950

Screener drive	
Type	Electrically-operated
Power output	0,25 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
7-25 t/hr

Transport method
Trailer O1

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-25S

Type: vibrating screener



- ✓ weight only 480 kg
- ✓ compact dimensions
- ✓ easy replacement of screens
- ✓ 2 fractions



Dimensions (trans.) in mm	
Length	1960
Width	1288
Height	1990
Weight (kg)	480

Screen-box	
Mesh length	2000
Mesh width	910
Mesh area (m ²)	1,82
Mesh count	1
Fraction count	2
Hopper width	-
Offtake width	1990

Screener drive	
Type	Electrically-operated
Power output	0,55 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Screening (indicative)
Depending on the material

Transport method
Trailer O1

Optional modifications
NO

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB - 25SC

Type: vibrating screener



- ✓ compact dimensions
- ✓ easy replacement of screens
- ✓ highly effective operation
- ✓ small fraction conveyor



Dimensions (trans.) in mm	
Length	3315
Width	1308
Height	1996
Weight (kg)	1100

Screen-box	
Mesh length	1865
Mesh width	910
Mesh area (m ²)	1,82
Mesh count	1
Fraction count	2
Hopper width	-
Offtake width	-

Screener drive	
Type	Electrically-operated
Power output	0,55 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Small fraction	
Conveyor length	3000
Conveyor width	650
Input power / output	1,5kW
Height	1542

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
depending on material

Transport method
trailer

Optional modifications
NO

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN GS-40

Type : grid screener



- ✓ weight < 1 t
- ✓ robust design
- ✓ single-mesh screener
- ✓ handling - tractor excavator / forklift truck



Dimensions (trans.) in mm	
Length	3180
Width	1664
Height	2442
Weight (kg)	930

Screen-box	
Mesh length	2000
Mesh width	3000
Mesh area (m ²)	6
Mesh count	1
Fraction count	2
Hopper width	3000
Offtake width	3000

Screener drive	
Type	-
Power output	-
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
40 -80 t/hr

Transport method
Trailer

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-40

Type: vibrating screener



- ✓ weight < 1 t
- ✓ compact dimensions
- ✓ handling - tractor excavator / forklift truck
- ✓ single-mesh screener



Dimensions (trans.) in mm	
Length	2400
Width	1500
Height	2380
Weight (kg)	950

Screen-box	
Mesh length	1500
Mesh width	1500
Mesh area (m ²)	2,25
Mesh count	1
Fraction count	2
Hopper width	2100
Offtake width	2100

Screener drive	
Type	Electrically-operated
Power output	0,55 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
15-38 t/hr

Transport method
Trailer

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB - 40A

Type: vibrating screener



- ✓ transport on hooklift truck
- ✓ compact dimensions
- ✓ highly effective operation
- ✓ single-mesh screener



Dimensions (trans.) in mm	
Length	4200
Width	2000
Height	2492
Weight (kg)	1440

Screen-box	
Mesh length	1500
Mesh width	1500
Mesh area (m ²)	2,25
Mesh count	1
Fraction count	2
Hopper width	2100
Offtake width	2100

Screener drive	
Type	Electrically-operated
Power output	0,55 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
15-38 t/h

Transport method
container

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-40L

Type: vibrating screener



- ✔ handling - tractor excavator / forklift truck
- ✔ double-mesh screener
- ✔ maintenance-free operation
- ✔ highly effective operation



Dimensions (trans.) in mm	
Length	2900
Width	1500
Height	2620
Weight (kg)	1360

Screen-box	
Mesh length	1500
Mesh width	2000
Mesh area (m ²)	3
Mesh count	2
Fraction count	2
Hopper width	2650
Offtake width	2690

Screener drive	
Type	Electrically-operated
Power output	1,1 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
18-60 t/hr

Transport method
Trailer

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-40LA

Type: vibrating screener



- ✔ transport on hooklift truck
- ✔ double-mesh screener
- ✔ maintenance-free operation
- ✔ highly effective operation



Dimensions (trans.) in mm	
Length	4000
Width	2260
Height	2866
Weight (kg)	1960

Screen-box	
Mesh length	1500
Mesh width	2000
Mesh area (m ²)	3
Mesh count	2
Fraction count	2
Hopper width	2650
Offtake width	2690

Screener drive	
Type	Electrically-operated
Power output	1,1 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
18-60 t/hr

Transport method
Container

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-40LC

Type: vibrating screener



- ✔ handling - tractor excavator / forklift truck
- ✔ 3 fractions
- ✔ medium fraction conveyor
- ✔ highly effective operation



Dimensions (trans.) in mm	
Length	3626
Width	2475 (2100)
Height	2620
Weight (kg)	1630

Screen-box	
Mesh length	1500
Mesh width	2000
Mesh area (m ²)	3
Mesh count	2
Fraction count	3
Hopper width	2650
Offtake width	2690

Screener drive	
Type	Electrically-operated
Power output	1,1 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	2900
Conveyor width	300
Input power / output	0,75 kW
Height	1080

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
18-60 t/hr

Transport method
Trailer

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-40LS

Type: vibrating screener



- ✔ transport on hooklift truck
- ✔ high volume undersize fraction conveyor
- ✔ built-in generator option
- ✔ robust design



Dimensions (trans.) in mm	
Length	8180 (6770)
Width	2260
Height	2560
Weight (kg)	3200

Screen-box	
Mesh length	1500
Mesh width	2000
Mesh area (m ²)	3
Mesh count	2
Fraction count	2
Hopper width	2650
Offtake width	3000+

Screener drive	
Type	Electrically-operated
Power output	1,1 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Small fraction	
Conveyor length	6430
Conveyor width	800
Input power / output	4 kW
Height	1900

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
18-60 t/hr

Transport method
Trailer

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-40XL

Type: vibrating screener



- ✔ transport on hooklift truck
- ✔ 3 fractions
- ✔ medium fraction conveyor
- ✔ built-in generator option



Dimensions (trans.) in mm	
Length	6100
Width	2260
Height	2620
Weight (kg)	2800

Screen-box	
Mesh length	1500
Mesh width	2000
Mesh area (m ²)	3
Mesh count	2
Fraction count	3
Hopper width	2650
Offtake width	2690

Screener drive	
Type	Electrically-operated
Power output	1,1 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	4470
Conveyor width	400
Input power / output	0,75 kW
Height	1800

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
18-60 t/hr

Transport method
Container

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-50

Type: vibrating screener



- ✔ wide hopper
- ✔ robust design
- ✔ sorting area more than 6 m²
- ✔ easy replacement of screens



Dimensions (trans.) in mm	
Length	3982
Width	2380
Height	2612
Weight (kg)	2600

Screen-box	
Mesh length	2200
Mesh width	2800
Mesh area (m ²)	6,2
Mesh count	2
Fraction count	2
Hopper width	3460
Offtake width	3450

Screener drive	
Type	Electrically-operated
Power output	2x 1,5 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Screening (indicative)
Depending on the material

Transport method
Trailer

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-80

Type: vibrating screener



- ✓ output up to 150 t/hr
- ✓ transport on container carrier
- ✓ 3 fractions
- ✓ 2 conveyors for material transfer



Dimensions (trans.) in mm	
Length	7920 (5270)
Width	2500
Height	2780
Weight (kg)	4800

Screen-box	
Mesh length	1800
Mesh width	1800
Mesh area (m ²)	3,24
Mesh count	2
Fraction count	3
Hopper width	2500
Offtake width	3000+

Screener drive	
Type	Electrically-operated
Power output	5,5 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	4200
Conveyor width	400
Input power / output	2 kW
Height	1790

Small fraction	
Conveyor length	4700
Conveyor width	600
Input power / output	2 kW
Height	1960

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
37-150 t/hr

Transport method
Trailer

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-100

Type: vibrating screener



- ✓ high mobility
- ✓ own category O2 chassis
- ✓ 2 fractions
- ✓ Kubota diesel engine



Dimensions (trans.) in mm	
Length	5950
Length	2150
Height	2870 (2350)
Weight (kg)	2800

Screen-box	
Mesh length	1800
Mesh width	1800
Mesh area (m ²)	3,24
Mesh count	2
Fraction count	2
Hopper width	2500
Offtake width	2400

Screener drive	
Type	Diesel
Power output	9 Hp
Tank (diesel)	26 L
Consumption	2-3 L/hr

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Screening (indicative)
37-150 t/hr

Transport method
Category O2 trailer

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-100C

Type: vibrating screener



- ✔ high output up to 150t/hr
- ✔ stable design
- ✔ Kubota diesel engine
- ✔ high volume undersize fraction conveyor



Dimensions (trans.) in mm	
Length	5776
Width	2207
Height	2324
Weight (kg)	2900

Screen-box	
Mesh length	1800
Mesh width	1800
Mesh area (m²)	3,24
Mesh count	2
Fraction count	2
Hopper width	2500
Offtake width	3000+

Screener drive	
Type	Kubota
Power output	18,5 kW
Tank (diesel)	50L
Consumption	4-5L/h

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Small fraction	
Conveyor length	4620
Conveyor width	1200
Input power / output	Hydraulic
Height	1300

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Screening (indicative)
37-150 t/h

Transport method
Trailer

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-100CA

Type: vibrating screener



- ✔ high output up to 150t/hr
- ✔ transport on hooklift truck
- ✔ robust design
- ✔ high volume undersize fraction conveyor



Dimensions (trans.) in mm	
Length	7000 (6000)
Width	2256
Height	2518
Weight (kg)	3600

Screen-box	
Mesh length	1800
Mesh width	1800
Mesh area (m²)	3,24
Mesh count	2
Fraction count	2
Hopper width	2500
Offtake width	3000+

Screener drive	
Type	Kubota
Power output	18,5 kW
Tank (diesel)	50L
Consumption	4-5L/h

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Small fraction	
Conveyor length	4620
Conveyor width	1200
Input power / output	Hydraulic
Height	1500

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Screening (indicative)
37-150 t/h

Transport method
Container

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-100T

Type: vibrating screener



- ✓ high mobility
- ✓ high output up to 150 t/hr
- ✓ O2 Trailer transport
- ✓ Kubota diesel engine



Dimensions (trans.) in mm	
Length	3572
Width	2220
Height	2928 (2094)
Weight (kg)	2200

Screen-box	
Mesh length	1800
Mesh width	1800
Mesh area (m ²)	3,24
Mesh count	2
Fraction count	2
Hopper width	2500
Offtake width	2400

Screener drive	
Type	Kubota
Power output	7 kW
Tank (diesel)	26L
Consumption	2-3 L/h

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Screening (indicative)
37-150 t/h

Transport method
O2 Trailer

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-100TC

Type: vibrating screener



- ✔ tracks for easy transport
- ✔ high output up to 150 t/hr
- ✔ Kubota diesel engine
- ✔ high volume undersize fraction conveyor



Dimensions (trans.) in mm	
Length	5674
Width	2207
Height	2518
Weight (kg)	3500

Screen-box	
Mesh length	1800
Mesh width	1800
Mesh area (m²)	3,24
Mesh count	2
Fraction count	2
Hopper width	2500
Offtake width	3000+

Screener drive	
Type	Kubota
Power output	18,5 kW
Tank (diesel)	50L
Consumption	4-5 L/h

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Small fraction	
Conveyor length	4620
Conveyor width	1200
Input power / output	Hydraulic
Height	1500

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height-	

Screening (indicative)
37-150 t/h

Transport method
Tracks

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION


ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk


INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

TRASERSCREEN DB-100S

Type: vibrating screener



- ✔ high output up to 150 t/hr
- ✔ hydraulic power pack
- ✔ 3 fractions
- ✔ stable design



Dimensions (trans.) in mm	
Length	3228 (2260)
Width	2663
Height	2981 (2050)
Weight (kg)	2200

Screen-box	
Mesh length	1800
Mesh width	1800
Mesh area (m ²)	3,24
Mesh count	2
Fraction count	3
Hopper width	2400
Offtake width	3000+

Screener drive	
Type	Electrically-operated
Power output	5,5 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction *	
Conveyor length	5000
Conveyor width	600
Input power / output	3 kW
Height	2400

Small fraction *	
Conveyor length	5000
Conveyor width	600
Input power / output	3 kW
Height	2400

Oversize fraction *	
Conveyor length	5000
Conveyor width	600
Input power / output	3 kW
Height	2400

Screening (indicative)
37-150 t/hr

Transport method
Trailer

Optional modifications
YES

Note
* with conveyor PC 105

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718

DBE-VS-2820

Type: vibrating screener



- ✓ optional modifications as required by customer
- ✓ large mesh area
- ✓ high-volume hopper
- ✓ combined riveted and welded construction



Dimensions (trans.) in mm	
Length	4450
Width	2800
Height	4520
Weight (kg)	5000

Screen-box	
Mesh length	3000
Mesh width	2000
Mesh area(m ²)	6
Mesh count	2
Fraction count	2-3
Hopper width	3000
Offtake width	3000+

Drive	
Type	Electrically-operated
Power output	2x2 kW
Tank (diesel)	-
Consumption	-

Conveyors	
Medium fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Small fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Oversize fraction	
Conveyor length	-
Conveyor width	-
Input power / output	-
Height	-

Output
< 200 t/hr

Transport method
Trailer

Optional modifications
YES

Note

The manufacturer reserves the right to change without prior notice.

CONTACT INFORMATION

ADDRESS:
DB Engineering
Brnianska 2346
Trenčín 911 05
Slovak Republic

TELEPHONE: +421 32 744 3828
E-MAIL: info@dbe.sk
WEB: www.dbe.sk

INVOICING DATA
Company Registration No.: 46241841
Tax File No.: 2023299718
VAT File No.: SK2023299718



www.dbe.sk



www.youtube.com/user/dbengineeringltd



www.instagram.com/dbengineering



www.facebook.com/dbengineering.sk

DB Engineering
Brnianska 2346
Trenčín 911 05
Slovakia

+421 32 744 3828
info@dbe.sk
www.dbe.sk

ID: 46241841
TIN: 2023299718
VAT: SK2023299718